GRIZZLYGREASE No. 1



Revision	date :	27.03.2020	Version (Revision) :	2.1.0 (2.0.0)
Print dat	te :	27.03.2020		
CECTI			/	J
SECH	ON 1: Identifi	cation of the substance	e/mixture and of the company/ un	dertaking
1.1 P	roduct identifi	er		
C	GRIZZLYGREASE No	. 1		
1.2 R	elevant identi	fied uses of the substa	nce or mixture and uses advised a	gainst
-	Relevant ident Product Categori			

PC24 - Lubricants, greases, release products

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Lubricant Consult GmbH Street : Gutenbergstraße 13 Postal code/city: 63477 MAINTAL (GERMANY) Telephone : +49 6109/7650-0 Telefax : +49 6109/7650-51

E-mail: msds-request@lubcon.com

Information contact : Environment, Health & Safety: Dr. Rüdiger Hofmann

1.4 Emergency telephone number

+49 6109/7650-0 Monday to Friday 8:00 AM to 4:00 PM (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3; H412 - Hazardous to the aquatic environment : Chronic 3; Harmful to aquatic life with long lasting effects.

2.2 Label elements

Trade name :

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements

H412 Harmful to aquatic life with long lasting effects. **Precautionary statements**

P273 Avoid release to the environment.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Naphthenic acids, zinc salts ; REACH registration No. : 01-2120783834-41-xxxx ; EC No. : 234-409-2; CAS No. : 12001-85-3 Weight fraction : ≥ 1 - < 5 % Classification 1272/2008 [CLP] :

Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene ; REACH registration No. : 01-2119491299-23-xxxx ; EC No. : 270-128-1; CAS No. : 68411-46-1 Weight fraction :

 $\geq 1 - < 5\%$



Trade name :	GRIZZLYGREASE No. 1		
Revision date :	27.03.2020	Version (Revision) :	2.1.0 (2.0.0)
Print date :	27.03.2020		

Classification 1272/2008 [CLP] : Aquatic Chronic 3; H412

Further ingredients

Distillates (petroleum), hydrotreated heavy naphthenic ; REACH registration No. : 01-2119467170-45-xxxx ; EC No. : 265-155-0; CAS No. : 64742-52-5 Weight fraction :

Metallic soap

≥ 50 - < 100 %

Additives not to declare

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Remove contaminated, saturated clothing immediately. Wash immediately with: Water and soap In case of skin irritation, consult a physician.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry extinguishing powder. Carbon dioxide (CO2). ABC-powder. BC-powder. Foam. Dry sand. Unsuitable extinguishing media

Water. Strong water jet. High power water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO). Carbon dioxide (CO2). Burning produces heavy smoke.

5.3 Advice for firefighters

Use suitable breathing apparatus.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



Trade name :	GRIZZLYGREASE No. 1		
Revision date :	27.03.2020	Version (Revision) :	2.1.0 (2.0.0)
Print date :	27.03.2020		

SECTION 6: Accidental release measures

Special danger of slipping by leaking/spilling product.

6.1 Personal precautions, protective equipment and emergency procedures None

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Ensure waste is collected and contained. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

6.3 Methods and material for containment and cleaning up Take up mechanically, placing in appropriate containers for disposal. Soak up inert absorbent and dispose as waste requiring special attention. Suitable material for taking up: Universal binder. Kieselguhr.

6.4 Reference to other sections

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

It is recommended to design all work processes always so that the following is excluded: Generation/formation of mist. Avoid: Inhalation of vapours or spray/mists. Skin contact, Eye contact. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2 Conditions for safe storage, including any incompatibilities

Hints on joint storage Storage class: 11 Storage class (TRGS 510): 11

Keep away from Food and feedingstuffs

Further information on storage conditions

Keep/Store only in original container. Keep container tightly closed. Protect against UV-radiation/sunlight. Humidity. Contact with air/oxygen. Dust deposits.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and after work. Take the precautions customary when handling chemicals. Change contaminated, saturated clothing. Keep away from sources of ignition - No smoking.

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Eye protection: not required. Avoid: Eye contact.



Trade name :	GRIZZLYGREASE No. 1		
Revision date :	27.03.2020	Version (Revision) :	2.1.0 (2.0.0)
Print date :	27.03.2020		

Recommended eye protection articles DIN EN 166

Skin protection

Hand protection Hand protection is not required By long-term hand contact : Wear suitable gloves. Suitable material : PE (Polyethylene). NR (natural rubber, natural latex). NBR (Nitrile rubber). Breakthrough time (maximum wearing time) : PE < 30 min. ; NR < 10 min.; NBR > 480 min. Thickness of the glove material : min. 0,38 mm Recommended glove articles : EN ISO 374; DIN EN 420 Uvex. KCL, MAPA. Or comparable articles from other companies.

Respiratory protection

No special measures are necessary. Avoid: Inhalation of vapours or spray/mists

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour	5	dark brown
--------	---	------------

Safety relevant basis data

Physical state :			pasty	
Initial boiling point and boiling range :	(1013 hPa)	>	300	°C
Decomposition temperature :	(1013 hPa)	>	200	°C
Flash point :	(1013 hPa)	>	200	°C
Vapour pressure :	(50 °C)	<	0,1	hPa
Density :	(20 °C)	=	0,95	g/cm ³

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

- The product is stable.
- **10.3 Possibility of hazardous reactions** No information available.
- **10.4 Conditions to avoid** No information available.
- **10.5 Incompatible materials** Oxidising agent, strong.
- **10.6 Hazardous decomposition products** Carbon monoxide (CO). Carbon dioxide (CO2). Gases/vapours, harmful.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

By analogy:



Frade name :	GRIZZLYGREA	SE No. 1		240000
Revision date :	27.03.2020		Version (Revision) :	2.1.0 (2.0.0)
Print date :	27.03.2020			
Acute oral toxicity	v			
Parameter :		LD50		
Exposure route :		Oral		
Species :		Rat		
Effective dose :		> 2000 mg/kg		
Acute dermal toxi	citv	5, 5		
Parameter :	,	LD50		
Exposure route :		Dermal		
Species :		Rabbit		
Effective dose :		> 2000 mg/kg		
Acute inhalation t	oxicity			
Parameter :	,	IC50 (Naphthenic	acids, zinc salts ; CAS No. : 12001-85-3)	
Exposure route :		Inhalation		
Species :		Rabbit		
Effective dose :		> 11,6 mg/l		
Irritant and co	rrosivo offo			
Primary irritation	to the skin	D	the stirt (Ne shill stirt still store selles a CAC Ne	12001 05 2)
Parameter :		•	the skin (Naphthenic acids, zinc salts; CAS No	.:12001-85-3)
Species :		Rabbit		
Result :		Strongly irritant		
Irritation to eyes				`
Parameter :			Naphthenic acids, zinc salts ; CAS No. : 12001-8	5-3)
Species :		Guinea pig		
Result :		Conjunctival rednes	S.	
Sensitisation				
In case of skin co	ntact			
Parameter :		Skin sensitisation (Naphthenic acids, zinc salts ; CAS No. : 12001-8	85-3)
Species :		Guinea pig		
Result :		Not sensitising.		
Repeated dose	toxicity (si	ubacute, subcł	nronic, chronic)	
Subacute oral tox		•	, ,	
Parameter :		NOAEL(C) (Naphth	enic acids, zinc salts ; CAS No. : 12001-85-3)	
Exposure route :		Oral	, , ,	
Effective dose :		> 30 mg/kg/d		
Subacute dermal	toxicity			
Parameter :	,	LOAEL(C) (Naphth	enic acids, zinc salts ; CAS No. : 12001-85-3)	
Exposure route :		Dermal	-,	
Species :		Rabbit		
Effective dose :		> 100 mg/kg/d		
	arcinogenic	5. 5.	ity and toxicity for reproduction	n)
Carcinogenicity		, matageint	and concicy for reproduction	•,
Parameter :		NOAFL(C) (Narabth	enic acids, zinc salts ; CAS No. : 12001-85-3)	
Exposure route :		Oral	GHIC ACIUS, ZHIC SAILS , CAS INU. : 12001-85-3)	
Exposure route : Effective dose :		> 100 mg/kg/d		
Germ cell mutage	nicity	> 100 mg/kg/u		
-	-			
In vitro mutager	neity	Chromesevel	motions mommalian colls (Nambthania a side as	
Parameter :		12001-85-3)	rrations mammalian cells (Naphthenic acids, zir	ic saits ; CAS NO.
Test result :		Negative.		
In vivo mutagen	icity			
Darameter (Conetic endpoint	(Naphthenic acids, zinc salts; CAS No.: 12001-	85-3)
Parameter :		Oral	(Naphulellic acius, zilic saits , CAS No 12001	000)



Trade name :	GRIZZLYGREASE No. 1		
Revision date :	27.03.2020	Version (Revision) :	2.1.0 (2.0.0)
Print date :	27.03.2020		

Effective dose :

> 30 mg/kg/d

SECTION 12: Ecological information

12.1	Toxicity	
	Aquatic toxicity	
	Acute (short-term) fish toxicity	
	Parameter :	LC50 (Naphthenic acids, zinc salts; CAS No.: 12001-85-3)
	Species :	Oncorhynchus mykiss (Rainbow trout)
	Evaluation parameter :	Acute (short-term) fish toxicity
	Effective dose :	= 1,1 mg/l
	Exposure time :	96 h
	Parameter :	LC50 (Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene ; CAS No. : 68411-46-1)
	Species :	Fish
	Evaluation parameter :	Acute (short-term) fish toxicity
	Effective dose :	> 71 mg/l
	Exposure time :	96 h
	Chronic (long-term) fish toxicit	У
	Parameter :	NOEC (Naphthenic acids, zinc salts; CAS No.: 12001-85-3)
	Species :	Oncorhynchus mykiss (Rainbow trout)
	Evaluation parameter :	Chronic (long-term) fish toxicity
	Effective dose :	> 0,39 mg/l
	Acute (short-term) daphnia tox	icity
	Parameter :	EC50 (Naphthenic acids, zinc salts; CAS No.: 12001-85-3)
	Species :	Daphnia magna (Big water flea)
	Evaluation parameter :	Acute (short-term) daphnia toxicity
	Effective dose :	= 0,34 mg/l
	Exposure time :	48 h
	Parameter :	EC50 (Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene ; CAS No. : $68411-46-1$)
	Species :	Daphnia magna (Big water flea)
	Evaluation parameter :	Acute (short-term) daphnia toxicity
	Effective dose :	= 51 mg/l
	Exposure time :	48 h
	Chronic (long-term) daphnia to	xicity
	Parameter :	NOEC (Naphthenic acids, zinc salts; CAS No.: 12001-85-3)
	Species :	Daphnia magna (Big water flea)
	Evaluation parameter :	Chronic (long-term) daphnia toxicity
	Effective dose :	> 0,12 mg/l
	Acute (short-term) algae toxicit	ty
	Parameter :	EC50 (Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene ; CAS No. : 68411-46-1)
	Species :	Algae
	Evaluation parameter :	Acute (short-term) algae toxicity
	Effective dose :	> 100 mg/l
	Exposure time :	72 h
	Terrestrial toxicity	
	Toxicity to birds	
	Acute and subchronic bird toxi	city
	Parameter :	LD50(Naphthenic acids, zinc salts;CAS No.:12001-85-3)
	Species :	Colinus virginianus (Bobwhite quail)
	Evaluation parameter :	Acute and subchronic bird toxicity



Trade name :	GRIZZLYGREASE No. 1		
Revision date :	27.03.2020	Version (Revision) :	2.1.0 (2.0.0)
Print date :	27.03.2020		

Effective dose : Exposure time : > 2250 mg/kg 14 d

12.2 Persistence and degradability

Biodegradation

Overall evaluation on the mixture: Not readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

12.8 Overall evaluation

If product enters soil, it will be mobile and may contaminate groundwater. In accordance with the required stability the product is poorly biodegradable.

SECTION 13: Disposal considerations

Dispose according to legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. Collect the waste separately. Evidence for disposal must be provided.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

- 14.4 Packing group No dangerous good in sense of these transport regulations.
- 14.5 Environmental hazards No dangerous good in sense of these transport regulations.
- 14.6 Special precautions for user

None

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Restrictions of occupation



Trade name :	GRIZZLYGREASE No. 1		
Revision date :	27.03.2020	Version (Revision) :	2.1.0 (2.0.0)
Print date :	27.03.2020		

Störfallverordnung

Not relevant

Not subject to StörfallVO.

Water hazard class (WGK)

Class : 2 (Significant hazardous to water) Classification according to AwSV

Other regulations, restrictions and prohibition regulations

Switzerland

VOCV-Regulation

Volatile organic compounds (VOC) content in percent by weight : 0 %

Additional information

TSCA (Toxic Substances Control Act) - USA, United States of America

All chemical substances in this mixture are included on or are exempted from listing on the TSCA Inventory for Chemical Substances.

California Proposition 65 - State of California

Based on available information this product does not contain any components or chemicals currently known to the State of California to cause cancer, birth defects or reproductive harm at levels which would be subject to Proposition 65.

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

15. National regulations

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The statement is derived from the properties of the single components.

16.5 Relevant H- and EUH-phrases (Number and full text)

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.